

**S** = STANDARD **O** = OPTIONAL **-** = NOT APPLICABLE

[Collapse All](#)

	Base	LX	EX
<b>ENGINE &amp; TRANSMISSION</b>			
Engine Type: 4-Cylinder, Iron Block & Aluminum Heads	S	S	S
Valve Gear: DOHC w/CVVT	S	S	S
Displacement: 2359 cc	S	S	S
Compression Ratio: 10.5	S	S	S
Horsepower (SAE net): 176 hp @ 6,000 rpm	S	S	S
Torque (SAE net): 168 ft. lbs. @ 4,000 rpm	S	S	S
Transmission: FWD 6-Speed Manual, Overdrive	S	-	-
Transmission: FWD Electronically controlled 6-Speed, Overdrive w/Sportmatic®	-	S	S
<a href="#">Transmission: AWD Full-Time, Electronic-Control On-Demand</a>	-	O	O
<b>EPA FUEL ECONOMY</b>			
Estimated MPG (City/Hwy) (6-Speed Manual FWD)	21/29	-	-
Estimated MPG (City/Hwy) (6-Speed Automatic FWD)	-	22/31	22/31
Estimated MPG (City/Hwy) (6-Speed Automatic AWD)	-	21/28	21/28
Fuel Tank Capacity (Gallons)	14.5	14.5	14.5
<b>EXTERIOR DIMENSIONS</b>			
Wheelbase: 103.9 in.	S	S	S
Length: 174.8 in.	S	S	S
Width: 73.0 in.	S	S	S
Height: 64.4 in.	S	S	S
Ground Clearance: 6.77 in.	S	S	S
Approach Angle: 28.1 degrees	S	S	S
Departure Angle: 28.2 degrees	S	S	S
<b>INTERIOR DIMENSIONS</b>			
Headroom (Front/Rear): 39.1/38.5 inches	S	S	S
Shoulder Room (Front/Rear): 56.7/55.1 inches	S	S	S
Legroom (Front/Rear): 41.4/37.9 inches	S	S	S
Hip Room (Front/Rear): 53.7/49.1 inches	S	S	S
Passenger Volume: 100.0 cu. ft.	S	S	S
Cargo Volume (Rear Seat Up): 26.1 cu. ft.	S	S	S
Cargo Volume (Rear Seat Down): 54.6 cu. ft.	S	S	S
<b>CURB WEIGHT</b>			
6-Speed Manual FWD	3157 LBS	-	-
6-Speed Automatic FWD	-	3186 LBS	3186 LBS
6-Speed Automatic AWD	-	3355 LBS	3355 LBS
<b>CAPACITIES</b>			
Towing Capacity (FWD & AWD)	2,000 LBS	2,000 LBS	2,000 LBS
<b>BODY &amp; CHASSIS</b>			
Layout: Front Engine, FWD or AWD	S	S	S
Body Type: Steel Unibody	S	S	S
Front Suspension: MacPherson Struts, Coil Springs & Gas	S	S	S

Front Suspension: MacPherson Struts, Coil Springs & Gas Shock Absorber	S	S	S
Rear Suspension: Multi-Link w/Gas Shock Absorber	S	S	S
Steering Type: Rack-and-Pinion, Power Assisted	S	S	S
Turning Circle, Curb-to-Curb: 34.7 ft.	S	S	S
Turns, Lock-to-Lock: 2.96	S	S	S
<b>BRAKES</b>			
Front FWD: 11.0" Vented Discs	S	S	S
Front AWD: 11.8" Vented Discs	S	S	S
Rear FWD: 10.3" Solid Discs	S	S	S
Rear AWD: 11.2" Solid Discs	S	S	S
<b>TIRES</b>			
Size: 215/70R16	S	S	-
Size: 225/60R17	-	O	-
Size: 235/55R18	-	-	S



# 2011 Kia Sportage SPECIFICATIONS

## DISCLAIMER

Kia Motors America reserves the right to make changes at any time without notice, and without incurring any obligations as to colors, materials, specifications, features, options, accessories, and packages. Some vehicles shown may include optional equipment. Kia Motors America, by the publications and dissemination of this web site, does not create any warranties, express or implied, to any Kia product. See dealer for details.